1. 4,821,215, Apr. 11, 1989, Monitoring equipment for adverse environments; Steven J. Woodward, 364*550; 73*620; 340*815.31; 364*561, 571.03; 367*908 [IMAGE AVAILABLE]

2. 4,819,149, Apr. 4, 1989, Distributed control system; Paul S. Sami, et al., 364*132, 200

3. 4,815,190, Mar. 28, 1989, Method for automated assembly of assemblies such as automotive assemblies; Anthony R. Haba, Jr., et al., 29*430, 701, 783, 784, 787; 198*346.1; 465.1; 414*277, 281, 331, 416

4. 4,805,089, Feb. 14, 1989, Process control interface system for managing measurement data; Leslie A. Lane, et al., 364*188, 200, 551.01

5. 4,786,847, Nov. 22, 1988, Digital control for multiaxis robots; Kenneth E. Daggett, et al., 318*568, 574; 364*513; 901*3, 22, 23

6. 4,754,410, Jun. 28, 1988, Automated rule based Process Control method with feedback and apparatus therefor; William J. Leech, et al., 364*513, 148, 151, 158, 165

7. 4,734,856, Mar. 29, 1988, Autogeneric system; Dannie E. Davis, 364*300, 513

8. 4,718,025, Jan. 5, 1988, Computer management control system; Paul S. Minor, et al., 364*550; 340*721; 364*518

9. 4,716,528, Dec. 29, 1987, Method for managing lock escalation in a multiprocessing, multiprogramming environment; Richard A. Crus, et al., 364*300

10. 4,689,736, Aug. 25, 1987, Distributed Process control system; Stephen P. Glaudel, et al., 364*140, 132, 138, 141

11. 4,679,137, Jul. 7, 1987, Process control interface system for designer and operator; Leslie A. Lane, et al., 364*188; 340*706; 364*200

12. 4,667,190, May 19, 1987, Two axis fast access memory; Karl M. Fant, 340*747, 727, 798

13. 4,663,704, May 5, 1987, Universal Process control device and method for developing a Process control loop program; Donald J. Jones, et al., 364*188, 138, 146, 147, 180, 191, 900

14. 4,648,064, Mar. 3, 1987, Parallel Process controller; Richard E. Morley, 364*900, 921.4, 921.8, 926.9, 928, 928.3, 928.4, 931, 931.4, 942.3, 942.4, 949, 957, 957.2

15. 4,645,459, Feb. 24, 1987, Computer generated synthesized imagery; Carl P. Graf, et al., 434*43, 38

16. 4,644,172, Feb. 17, 1987, Electronic control of an automatic wafer inspection system; Paul Sandland, et al., 250*548; 356*400

J. Herbst, et al., 376*216; 364*184, 513; 376*259 [IMAGE AVAILABLE]

18.   4,607,325, Aug. 19, 1986, Discontinuous optimization procedure modelling
the run-idle status of plural process components; Brian C. Horn, 364*151,
150, 153, 156, 180, 494, 495

19.   4,607,256, Aug. 19, 1986, Plant management system; Russell A. Henzel,
340*825.52, 825.05; 364*133, 138, 186, 187; 370*85

20.   4,591,967, May 27, 1986, Distributed drum emulating programmable
controller system; Donald A. Mattes, et al., 364*132, 200, 222.2, 222.3, 229,

229.1, 229.4, 230, 230.4, 236.1, 237.2, 237.5, 238.3, 238.4, 245.9, 248, 264,
264.1, 264.2, 265, 266, 270, 270.4, 271, 271.2, 273, 273.1, 273.2, 273.4,
284, 284.3, 284.4, 285, 286, 286.4

21.   4,589,068, May 13, 1986, Segmented debugger; Roger J. Heinen, Jr.,
364*300, 200, 228.3, 229, 229.2, 230, 230.3, 234, 237.2, 240.1, 240.8, 240.9,
262.4, 264, 264.5, 265, 267, 267.91, 280, 280.4, 280.7, 284, 284.3, 285,
285.4, 286.1, 286.2; 371*19

22.   4,588,872, May 13, 1986, Self-guided welding machine; John G. Bollinger,
et al., 219*124.34, 125.1; 318*575

23.   4,570,217, Feb. 11, 1986, Man machine interface; Bruce S. Allen, et al.,
364*188, 191, 900, 919, 921.4, 921.8, 921.9, 926, 926.9, 927.3, 927.4, 928,
929.2, 929.3, 949, 949.3, 959.1, 968

24.   4,566,061, Jan. 21, 1986, Method and means of manual input of programs

into industrial process programmable controller systems; Ralph
Ogden, et al., 364*146, 181, 189, 191

25.   4,553,202, Nov. 12, 1985, User controlled dialog resource switching in a
multi-tasking word processor; Nicholas Trufyn, 364*200, 225, 225.6, 230,
230.2, 230.3, 234, 235, 236.2, 237.2, 237.3, 239, 239.6, 241.2, 242.4, 244,
244.3, 280, 281, 281.3, 281.4, 281.6, 281.7

26.   4,527,271, Jul. 2, 1985, Process control system with improved
fault isolation; Donald D. Hallee, et al., 371*20; 364*184, 186

27.   4,511,791, Apr. 16, 1985, Electronic balance meter; Avinash J. Desai, et
al., 219*497; 65*12, 162, 164; 219*483, 486, 501, 508; 364*482

28.   4,509,117, Apr. 2, 1985, Communications network access rights
arbitration; Simon Korowitz, 364*200, 221.9, 222.2, 229, 229.3, 232.8, 234,
235, 236.2, 237.2, 237.3, 240.6, 240.8, 240.9, 241.8, 242.6, 242.92, 242.94,

248.1, 264, 264.6, 265, 265.1, 284, 284.4

29.   4,501,021, Feb. 19, 1985, Fiber optic data highway; Edward L. Weiss,
455*601; 370*1, 88; 455*607, 612

30.   4,495,568, Jan. 22, 1985, Apparatus for the control and monitoring of
power supply sources for data processing systems; Takats Gilbert, et al.,
364*200, 221, 221.7, 232.7, 232.8, 237.2, 243, 244, 244.6, 265, 266.6, 267,
267.5, 273.4

31.   4,493,105, Jan. 8, 1985, Method and apparatus for visual image
processing; Donald L. Beall, et al., 382*21; 358*107; 382*25

32.   4,490,848, Dec. 25, 1984, Method and apparatus for sorting corner points

33. 4,484,303, Nov. 20, 1984, Programmable controller; Salvatore R.

Provanzano, et al., 364*900, 147, 926.9, 927.2, 928, 929.2, 933, 933.4,
933.7, 940, 940.1, 940.2, 940.4, 946.2, 949, 949.3, 953, 953.4, 962, 964,
964.2, 965, 965.4

34. 4,482,980, Nov. 13, 1984, Hybrid optical/electrical data highway; Simon
Korowitz, et al., 364*900, 919, 921.4, 921.8, 927.2, 927.4, 927.8, 928, 931,
931.4, 935, 935.2, 935.7, 940, 940.1, 940.5, 943.9, 943.91, 944.2; 455*606

35. 4,431,988, Feb. 14, 1984, Microprocessor-based keyboard/display unit for
configuring control instruments; Anthony J. Molusis, et al., 340*712, 286M,
717, 721, 825.22; 341*23, 33; 400*120, 479

36. 4,417,303, Nov. 22, 1983, Multi-processor data communication bus
structure; Simon Korowitz, et al., 364*200, 221, 221.9, 222.2, 228.3, 232.7,
232.8, 232.91, 238.5, 238.6, 239, 239.6, 239.7, 240, 240.1, 240.3, 240.4,
242.1, 242.6, 242.92, 244, 244.6, 252, 264, 264.2, 265, 265.4, 266.3, 268,
268.3, 268.7, 280, 280.3, 281.3

37. 4,410,940, Oct. 18, 1983, Transfer of control method and means among
hierarchical cooperating sequential processes; Eric D. Carlson, et al.,
364*200, 231.4, 231.6, 262.4, 262.5, 271, 271.3, 280, 280.1, 280.4, 281.3,
281.4, 300

38. 4,403,297, Sep. 6, 1983, Process control system prover; Vincent
V. Tivy, 364*579; 324*73R; 364*481

39. 4,389,706, Jun. 21, 1983, Digital computer monitored and/or operated
system or process which is structured for operation with an improved
automatic programming process and system; John W. Gomola, et al., 364*130,
200, 226.7, 227.4, 231.4, 231.6, 237.8, 241.2, 241.3, 241.5, 259, 259.3, 260,
260.1, 260.4, 260.6, 281.3, 281.6, 281.8, 282.1, 282.3, 283.1, 468, 492, 550

40. 4,351,023, Sep. 21, 1982, Process control system with improved
system security features; Donald K. Richer, 364*187, 134; 371*9

41. 4,307,447, Dec. 22, 1981, Programmable controller; Salvatore R.
Provanzano, et al., 364*200, 221.9, 222, 228.5, 230, 230.3, 231.4, 231.6,
231.8, 232.7, 234, 234.4, 238.3, 242, 242.1, 242.3, 242.94, 243, 243.4,
243.41, 244, 244.3, 244.8, 244.9, 245, 245.1, 254, 254.3, 255.1, 255.2,
255.3, 260.4, 260.7, 261, 262, 262.1, 265, 267, 267.4, 270, 270.3, 280, 280.8

42. 4,303,973, Dec. 1, 1981, Industrial Process control system;
Robert A. Williamson, Jr., et al., 364*189; 340*706, 711, 712, 722; 364*138,
185

43. 4,227,245, Oct. 7, 1980, Digital computer monitored system or process
which is configured with the aid of an improved automatic programming system;
Warren A. Edblad, et al., 364*468, 200, 221, 221.2, 221.7, 221.9, 222.81,
222.82, 224, 224.2, 230, 230.1, 230.3, 230.4, 234, 235, 237.2, 237.8, 238,
242.1, 245, 245.1, 248, 248.1, 248.3, 259, 259.5, 262.4, 262.5, 267.9, 280,
281.3, 281.7, 281.8, 282.1, 282.3, 283.1, 300

44. 4,219,881, Aug. 26, 1980, Digital input control circuit; Lowell D.
Wilske, 364*900, 920, 921.4, 926, 926.9, 927.2, 927.5, 927.8, 931, 931.4,
940, 940.1, 940.2, 940.4, 941.4, 949, 953

ut circuit for a computer

based **Process control** system; Steven R. Templeton, 364*200, 221.9,
228.4, 232.7, 232.8, 234, 237.2, 237.4, 237.8, 238, 238.3, 240, 240.1, 245.5,
245.9, 247, 259, 259.2, 264, 264.4, 264.6, 270, 270.1, 554

46. 4,216,528, Aug. 5, 1980, Digital computer implementation of a logic
director or sequencer; James D. Robertson, 364*468, 200, 221, 221.2, 221.4,
221.7, 221.9, 222.81, 222.82, 225, 226.8, 226.9, 228.3, 230, 230.1, 230.3,
232.3, 232.7, 232.9, 234, 235, 236, 236.1, 236.2, 236.3, 236.5, 237, 237.2,
237.4, 237.8, 241.2, 248, 248.1, 248.3, 254.9, 258, 258.1, 258.2, 258.3, 259,
259.2, 259.5, 259.7, 259.8, 260, 260.2, 260.4, 260.8, 261.3, 261.4, 261.5,
262.4, 262.5, 264, 264.6, 271, 271.5, 280, 280.2, 281.3, 281.8, 300

47. 4,215,407, Jul. 29, 1980, Combined file and directory system for a
Process control digital computer system; John W. Gomola, et al.,
364*468, 200, 221, 221.2, 221.4, 221.7, 221.9, 222.81, 226.8, 226.9, 228.3,
230, 230.1, 230.2, 230.3, 230.4, 232.3, 234, 235, 236.1, 236.2, 236.3, 237.2,
237.4, 237.8, 242.1, 248, 248.1, 248.3, 254.9, 255.1, 255.2, 258, 258.1,
258.2, 258.3, 259, 259.5, 262.4, 262.5, 264, 280, 280.8, 281.3, 281.7, 281.8,
300

48. 4,215,406, Jul. 29, 1980, Digital computer monitored and/or operated
system or process which is structured for operation with an improved
automatic programming process and system; John W. Gomola, et al., 364*468,
200, 221, 221.2, 221.4, 221.7, 221.9, 222, 222.81, 222.82, 230, 230.1, 230.3,
234, 237.8, 238.2, 238.3, 241.2, 242.1, 243, 243.2, 245, 245.5, 246, 246.3,
248.1, 251, 251.5, 252, 259, 259.3, 260.4, 260.6, 260.9, 261, 262.4, 262.5,
267, 267.1, 267.2, 267.4, 270.5, 270.8, 300

49. 4,214,153, Jul. 22, 1980, Tape and tape reader arrangement for
programmable controllers; Ralph Ogden, 235*376, 441, 443, 445; 434*118

50. 4,195,773, Apr. 1, 1980, Programmable controller system for
industrial process apparatus; Ralph Ogden, 235*495, 487, 494; 361*352

51. 4,172,280, Oct. 23, 1979, Digital output control circuit; Robert L.
Spiesman, 364*143, 184, 900, 921.4, 921.8, 921.9, 926, 926.9, 927.8, 931,
931.4, 935, 935.2, 935.6, 940, 940.1, 940.2, 942.7, 948.1, 948.4, 948.5,
948.91, 949, 959.1, 964, 964.1, 965, 965.5

52. 4,162,536, Jul. 24, 1979, Digital input/output system and method;
Richard E. Morley, 364*900, 200, 221.9, 222.2, 228.3, 229, 229.2, 231.9,
232.3, 232.7, 232.8, 234, 235, 236, 236.3, 237, 237.2, 237.3, 237.4, 238,
238.3, 238.5, 240.1, 243, 243.3, 244, 244.6, 245.5, 245.6, 246.6, 246.8, 249,
252, 264, 264.6, 265, 267, 267.5, 273.4, 919, 921.4, 921.8, 926, 926.9,
927.2, 927.4, 927.5, 927.8, 928, 929, 929.2, 930, 931, 931.4, 932, 932.6,

936, 937, 940, 940.1, 940.2, 942, 942.3, 942.4, 943.9, 944.5, 945, 945.1,
948.4, 948.8, 949, 959.1, 964, 964.1, 965, 965.5, 967, 967.1, 969, 969.2;
371*69

53. 4,155,115, May 15, 1979, **Process control** system with analog
output control circuit; Lowell D. Wilske, 364*140, 138, 600, 900, 921.4, 926,
926.9, 927.8, 948.3, 949, 959.1, 964, 964.1, 965, 965.5; 370*9, 85, 92

54. 4,064,394, Dec. 20, 1977, Electronic digital **Process controller**
having simulated analog control functions; Bruce S. Allen, 364*189, 136, 140,
200, 221, 221.2, 221.4, 221.9, 232.3, 232.7, 232.9, 234, 234.1, 234.2, 234.3,
235, 237.2, 237.4, 237.5, 237.8, 239, 239.7, 240.1, 242, 242.1, 242.4, 243,
243.1, 244, 244.6, 245.5, 245.9, 246.6, 246.9, 258, 258.1, 258.2, 258.3, 259,
259.1, 259.2, 263.2, 264, 264.3, 273.4, 300

55. 4,001,807, Jan. 4, 1977, Concurrent overview and detail display system

having **PROCESS CONTROL** or abilities; Perao Baldeoenti,

364*284P, 315, ... , 323, 711, 715, 722; 344*200, ...
237.2, 237.5, 238.3, 243, 243.7, 248, 248.1, 248.7, 248.
5; 3

56. 3,971,020, Jul. 29, 1976, Computer-directed **PROCESS**
system with interactive display functions; Nicholas C. ...
3-10*706, 711, 734, 799; 364*118, 189, 231.9, 235.6, 225.
234.1, 234.2, 237.1, 237.2, 237.5, 237.8, 238, 239, 239
244.7, 245, 245.3, 246.3, 246.8, 246.92, 249, 251, 251.
259.4, 259, 260.1, 260.5, 260.9, 261.3, 261.4, 262, 262.
271.6, 271.9

57. 3,969,723, Jul. 13, 1976, On-line modification of ...
Philip H. Kennicott, 364*708, 231.9, 222.61, 222.82, 23:
232.1, 238.3, 239, 239.4, 239.6, 240.1, 241, 242.4, 243,
254.8, 255.1, 255.2, 256.3, 256.6, 258, 259, 259.5, 259.

58. 3,969,722, Jul. 13, 1976, Method and apparatus for
interrogation of simulated control circuits; William J.
364*200, 231.9, 231, 231.4, 231.6, 232.3, 237.2, 238.3,
240.1, 241, 243, 243.7, 246, 246.3, 254, 254.6, 254.8, ...
256.6, 258, 259, 259.5, 259.6, 261.3

59. 3,872,286, Mar. 18, 1975, Control system and method
demand of an **INDUSTRIAL** plant; Richard E. J. Putman, 364
364*300, 493

=> d his

        (FILE USPAT)

        SET PAGELENGTH 19
        SET LINELENGTH 78
L1   364 (S)DATA (1W) BASE AND PROCESS (3W) (CONT?
L2   59 S L1 AND INDUSTRIAL

SEARCH REPORT

SN:919060   DATE 22-Apr-89   ID:1
FILE 01   CLASS 364 , SUBCLASS 900

. . . .

SEARCH LEVEL	SEARCH EQUATION	NUMBER OF HITS
000	*** Total File ***	5980
001	S 202	13
002	D 1 12 wwd/ 12 tot	13
003	S 214	101
004	D 3 4 wwd/ 16 tot	101
005	S 214 AND 740	1
006	D 5 1 wwd/ 17 tot	1
007	D 3 0 wwd/ 17 tot	1
008	D 3 12 wwd/ 25 tot	1

. . . .

TAGGED DOCUMENTS

(900)AUS4347569

. . . .

END